
P A R I S
T W E E D



Paris is the world's arbiter of taste. Lauded for centuries as the global headquarters of luxury and style, the City of Light emanates art, design, and textile grandeur from iconic ateliers and premier fashion schools.

Conceived from classic fabrics and lush fibers, Paris Tweed™ echoes neutral woven textures with dramatic flair. This small-scale pattern, which features striated definition and brilliant metallic yarns, brings haute couture to the floor.

BENTLEY
LOS ANGELES



PARIS TWEED™

4PWT80220T
Entrepreneur 400564
24 in x 24 in

Monolithic






PARIS TWEED

4PWT80AA0T
Panache 400562
18 in x 36 in

Herringbone






PARIS TWEED

4PWT80220T
Vignette 400570
24 in x 24 in

Ashlar






PARIS TWEED

4PWT80220T
Couture 400560
24 in x 24 in

Random






PARIS TWEED

4PWT80220T
Couture 400560 (FIELD)
Panache 400562 (ACCENT)
24 in x 24 in

Random






PARIS TWEED

4PWT80AA0T
Panache 400562
18 in x 36 in


Ashlar



PARIS TWEED

4PWT80AA0T
Entrepreneur 400564
Vignette 400570
18 in x 36 in

Parquet







PARIS TWEED

4PWT80220T
Entrepreneur 400564
24 in x 24 in

Quarter Turn





PARIS TWEED

4PWT80620R
Couture 400560

Broadloom





PARIS TWEED

4PWT80220T
Panache 400562
24 in x 24 in

Brick






PARIS TWEED

4PWT80AA0T
Entrepreneur 400564
18 in x 36 in

Brick



PARIS TWEED™ color line as featured in architect folder.



Couture 400560



Rendezvous 400561



Panache 400562




Avant-garde 400563



Entrepreneur 400564




Bon Appetit 400574



Grand Prix 400566



Nouveau 400567



Savoir Faire 400568



A la Carte 400569



Vignette 400570



Montage 400571



Liaison 400572

PARIS TWEED™

SPECIFICATIONS

Style Number	4PWT8
Product Construction	Tufted Tip-Sheared
Fiber	Antron® Lumena™ Type 6,6 Nylon
Dye Method	Solution Dye
Soil/Stain Protection	XTERA™
Secondary Backing	
Broadloom	High PerformancePC
Carpet Tile	NexStep® Cushion Tile / AFIRMA™ Hardback Tile
Machine Gauge	1/12 in (47.2 ends/10 cm)
Stitches	
Broadloom	8.8/in (34.6 ends/10 cm)
Carpet Tile	8.8/in (34.6 ends/10 cm)
Pile Density	6,452 oz/yd ³
Total Weight	
High PerformancePC Broadloom	54 oz/yd ² (1,830.9 g/m ²)
NexStep® Cushion Tile	92 oz/yd ² (3,119.3 g/m ²)
AFIRMA™ Hardback Tile	83 oz/yd ² (2,814.2 g/m ²)
Total Thickness	
High PerformancePC Broadloom	0.240 in (6.1 mm)
NexStep® Cushion Tile	0.340 in (8.6 mm)
AFIRMA™ Hardback Tile	0.220 in (5.6 mm)
Pattern Repeat	
Broadloom	Pattern match not required
Carpet Tile	None
Radiant Panel	Passes Class 1, ≥ 0.45 W/cm ² (ASTM-E648)
Smoke Density	< 450 dm Corrected (ASTM-E662), Flaming
Static	≤ 3.5 kV (AATCC-134), Step
Flammability	Passes Methenamine Pill Test (CPSC-FF1-70)

Please inquire about product warranties for specific backing options.
Paris Tweed is available in 13 standard colorways.

STYLE NUMBERS


PARIS TWEED	BACKING	SIZE
4PWT80620R	High PerformancePC Broadloom	12 ft (3.657 m) — also available in area rugs
4PWT80AA0T	NexStep® Cushion Tile	18 in x 36 in (45.72 cm x 91.44 cm)
4PWT80220T	NexStep® Cushion Tile	24 in x 24 in (60.96 cm x 60.96 cm)
4PWT80AA0K	AFIRMA™ Hardback Tile	18 in x 36 in (45.72 cm x 91.44 cm)
4PWT80220K	AFIRMA™ Hardback Tile	24 in x 24 in (60.96 cm x 60.96 cm)

antron. 




RECOMMENDED CARPET TILE INSTALLATION METHODS

18 in x 36 in



24 in x 24 in



Bentley's carpet tile and broadloom backings, including High PerformancePC, NexStep® Cushion Tile, and AFIRMA™ Hardback Tile, are Cradle to Cradle Certified™ at the Silver level. NexStep Cushion Tile and Prestige PlusRC™ are certified to the NSF® 140 Sustainability Assessment for Carpet Standard at the Platinum level. High PerformancePC and Optimum Barrier™ II are certified NSF 140 Gold. Bentley products are made in the country's first and only carpet manufacturing facility certified under the USGBC's LEED for Existing Buildings (LEED®-EBOM) Rating System at the Gold level.

Patterned carpet may require special attention by the installer to assure a suitable match, and must be addressed in the original labor quotation. Products that go through the shearing process may result in a small loss of yarn weight. Slight variations in color among different production lots are normal and should be considered in the overall installation plan. Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Technical performance characteristics are subject to adjustment based on results of post-manufacture testing. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2014 Bentley Mills, Inc.

Need additional samples or information? 800.423.4709 | BENTLEYMILLS.COM
(BK-CP-PW-0514)

BENTLEY®



800.423.4709 | BENTLEYMILLS.COM

14641 E. DON JULIAN ROAD, CITY OF INDUSTRY, CA 91746