



SHAPESHIFTER II FAST TRACK




BENTLEY



Shapeshifter II

BENTLEY



Change of heart. Change of mind. If you could have any superpower, what would It be? From ancient mythology to superhero movies, the ability to change forms carries with it both the power to hide in plain sight or to be the champion. Both can be extraordinary.

Shapeshifter II taps into all that possibility, with the ability to play either end—the quiet constant or the center of attention. Sixteen colors explore neutrals from subtle and nuanced to bold and dynamic. With a shimmery use of light and shadow, each colorway is a magical mix of changeable shades and texture. Which form will you take? The choice is yours, but remember, with great power comes great responsibility.



SHAPESHIFTER™ II 6ASET4, MIMIC 400046, 18 IN X 36 IN - HERRINGBONE




SHAPESHIFTER II 6ASET4, MIMIC 400046, 18 IN X 36 IN - HERRINGBONE



SHAPESHIFTER II 6ASET4, SUBLIMATION 400043, 24 IN X 24 IN - QUARTER TURN

BENTLEY[•]





SHAPESHIFTER II 6ASET4, PROXY 400040, 24 IN X 24 IN - MONOLITHIC

BENTLEY[.]




SHAPESHIFTER II 6ASET4, SUBLIMATION 400043, 24 IN X 24 IN - QUARTER TURN



SHAPESHIFTER II 6ASET4, ALTER 400049, 18 IN X 36 IN - BRICK

BENTLEY[.]



SHAPESHIFTER™ II



Reshape 400035



Proxy 400040



Analogy 400036



Double Take 400041



Mimic 400046



Switch 400037



Liquification 400042



Restated 400047



Revamp 400038



Sublimation 400043



Meta Morph 400048



Changelings 400045

Variation 400050

RECOMMENDED BROADLOOM INSTALLATION METHOD

Shapeshifter II in broadloom requires the cross seams to be cut utilizing a serpentine type method. The cross seams (end seams) require a serpentine double-cut seam in an effort to reduce possible visual discrepancies with the face yarn.

PLEASE NOTE: Shapeshifter II in broadloom will still require and adhere to the Bentley-approved Broadloom Carpet Basics Installation Guidelines guide with the above exception.

Serpentine Cut Cross Seams Installation Instructions:

- 1. Recommended Seam Cutting Tool: National Carpet Equipment #575 Commercial Seam Cutter or equivalent.
- 2. Overlap end seams 2 inches to allow sufficient materials to be cut.
- 3. With firm and continuous pressure, cut both breadths of material in a slight wave pattern resulting in an 18-24 inch wave repeat. The blade should be sharp and lightly touch the subfloor.
- 4. Remove both top and bottom strips of carpet and properly edge seal and seam seal with appropriate seam sealer.



Fast Track is Bentley's quick-ship program. This program is designed for maximum flexibility and expedited delivery to the client. Shapeshifter II is available in 16 colorways in 18 in x 36 in and 24 in x 24 in AFIRMA IITM Hardback Tile, NexStep® Cushion Tile, EliteFlexTM 6 ft Cushion, and High PerformancePC Broadloom. Orders of 1500 square yards or less will be ready to ship within 10 business days of order. For orders exceeding 1500 square yards, please contact our Customer Care Concierge for availability.

9 in x 36 in Tile option and AFFIXX™ Hardback Tile backing are excluded from the Fast Track program.

The printed images may not be an accurate reproduction of the product's actual colorways. We strive to offer an authentic representation, but images may vary according to press run and location lighting. These images are intended as a guide only. If you would like a sample of this product, please call Customer Care at 800.423.4709.

Bentley's carpet products are manufactured in our California mill, a LEED Existing Buildings: Operations and Maintenance Gold certified facility. Product Certifications and Declarations can be found under the Sustainability section of our website. For more information, including additional backing options, detailed specifications, and warranties, please visit bentleymills.com



FAST TRACK QUICK SHIP



Copies 400039

Lycan 400044



Alter 400049



SHAPESHIFTER II 6ASET4, MIMIC 400046, 18 IN X 36 IN - HERRINGBONE

| Style Number | 6ASET4 |
|----------------------|---------------------------------|
| Product Construction | Tufted Textured Loop |
| Fiber | Bentley Premium™ Type 6,6 Nylon |
| Dye Method | Solution Dyed |

For complete product specifications, visit bentleymills.com

PVC-Free Backing Options AFIRMA II™ Hardback Tile AFFIXX™ Hardback Tile NexStep® Cushion Tile EliteElex™ 6 ft Cushion

EliteFlex[™] 6 ft Cushion 6 ft High PerformancePC Broadloom 12 ft

Size Options

9 in x 36 in, 18 in x 36 in, 24 in x 24 in 9 in x 36 in, 18 in x 36 in, 24 in x 24 in 9 in x 36 in, 18 in x 36 in, 24 in x 24 in 6 ft

Recommended Carpet Tile Installation Methods



Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2022 Bentley Mills, Inc.

Need additional samples or information? 800.423.4709 | bentleymills.com (BK-CP-0222)

BENTLEY



800.423.4709 | BENTLEYMILLS.COM 14641 EAST DON JULIAN ROAD, CITY OF INDUSTRY, CALIFORNIA 91746