




BENTLEY®

DOG EARED | DUST JACKET



LEFT
DOG EARED™
8DG230630R
Wait List 800111
12 ft 6 in
BROADLOOM

RIGHT
DOG EARED
8DG230AA0T
Manuscript 800103
18 in x 36 in
ASHLAR





DOG EARED
8DG230220T
Manuscript 800103
24 in x 24 in
MONOLITHIC






DUST JACKET™
8DJ2309A0T
First Edition 800100
Manuscript 800103
9 in x 36 in
ASHLAR

This installation was achieved by combining two DUST JACKET colors: 50% First Edition and 50% Manuscript.



DOG EARED
8DG230AA0T
First Edition 800100
18 in x 36 in
BRICK





DUST JACKET
8DJ230AA0T
Overdue 800107
18 in x 36 in
HERRINGBONE



DUST JACKET
8DJ230220T
Publisher 800109
24 in x 24 in
MONOLITHIC





DUST JACKET
8DJ230630R
First Edition 800100
12 ft 6 in
BROADLOOM





LEFT
DUST JACKET
8DJ230AA0T
Wait List 800111
18 in x 36 in
BRICK

RIGHT
DOG EARED
8DG2309A0T
Overdue 800107

REDACTED
8RF2309A0T
Card Catalog 801526
9 in x 36 in
ASHLAR

This installation was achieved by combining DOG EARED and REDACTED: 50% DOG EARED Overdue and 50% REDACTED Card Catalog.

DOG EARED and DUST JACKET color line as featured in architect folder.



First Edition 800100




Bookmark 800101



Anthology 800102



Manuscript 800103



Prologue 800104



Best Seller 800105



Chapter 800106



Overdue 800107



Reserved 800108



Publisher 800109



Abridged 800110



Wait List 800111



Literature 800112

The printed images may not be an accurate reproduction of the products' actual colorways. Please note that images were taken in a loft, full of natural light. We strive to offer an authentic representation, but images may vary according to press run and location lighting. These images are intended as a guide only. If you would like a sample of this product, please call Customer Care at [800.423.4709](tel:800.423.4709).

DRAWING ROOM COLLECTION

SPECIFICATIONS

Style Number	DOG EARED™	DUST JACKET™
Product Construction	8DG23	8DJ23
Fiber	Tufted Textured Loop	Tufted Textured Loop
Dye Method	Antron® Lumena DNA™ Nylon Type 6,6	Antron® Lumena DNA™ Nylon Type 6,6
Secondary Backing	Solution Dyed	Solution Dyed
Broadloom	High PerformancePC	High PerformancePC
Carpet Tile	NexStep® Cushion Tile / AFIRMA II™ Hardback Tile / AFFIXX™ Hardback Tile	NexStep® Cushion Tile / AFIRMA II™ Hardback Tile / AFFIXX™ Hardback Tile
Yarn Weight	22 oz/yd ² (745.9 g/m ²)	22 oz/yd ² (745.9 g/m ²)
Machine Gauge	1/10 in (39.4 ends/10 cm)	1/10 in (39.4 ends/10 cm)
Pile Height		
High	0.188 in (4.8 mm)	0.188 in (4.8 mm)
Medium	0.138 in (3.5 mm)	0.138 in (3.5 mm)
Low	0.090 in (2.3 mm)	0.090 in (2.3 mm)
Stitches	9.8/in (38.6 ends/10 cm)	9.8/in (38.6 ends/10 cm)
Pile Density	7,333 oz/yd ³	7,216 oz/yd ³
Total Weight		
High PerformancePC Broadloom	57 oz/yd ² (1,932.6 g/m ²)	57 oz/yd ² (1,932.6 g/m ²)
NexStep® Cushion Tile	99 oz/yd ² (3,356.7 g/m ²)	99 oz/yd ² (3,356.7 g/m ²)
AFIRMA II™ Hardback Tile	80 oz/yd ² (2,712.5 g/m ²)	80 oz/yd ² (2,712.5 g/m ²)
AFFIXX™ Hardback Tile	81 oz/yd ² (2,746.4 g/m ²)	81 oz/yd ² (2,746.4 g/m ²)
Total Thickness		
High PerformancePC Broadloom	0.315 in (8.0 mm)	0.315 in (8.0 mm)
NexStep® Cushion Tile	0.415 in (10.5 mm)	0.415 in (10.5 mm)
AFIRMA II™ Hardback Tile	0.295 in (7.5 mm)	0.295 in (7.5 mm)
AFFIXX™ Hardback Tile	0.300 in (7.6 mm)	0.300 in (7.6 mm)
Pattern Repeat		
Broadloom	75 in (190.50 cm) (W) x 146-29/32 in (373.12 cm) (L)	75 in (190.50 cm) (W) x 156-47/64 in (398.10 cm) (L)
Carpet Tile	None	None
Radiant Panel	Passes Class 1, ≥ 0.45 W/cm ² (ASTM-E648)	Passes Class 1, ≥ 0.45 W/cm ² (ASTM-E648)
Smoke Density	< 450 Dm corr (ASTM-E662), Flaming	< 450 Dm corr (ASTM-E662), Flaming
Static	≤ 3.5 kV (AATCC-134), Step	≤ 3.5 kV (AATCC-134), Step
Flammability	Passes Methenamine Pill Test (CPSC-FF1-70)	Passes Methenamine Pill Test (CPSC-FF1-70)


STYLE NUMBERS

DOG EARED	DUST JACKET	BACKING	SIZE
8DG230630R	8DJ230630R	High PerformancePC Broadloom	12 ft 6 in (3.810 m)
8DG2309A0T	8DJ2309A0T	NexStep® Cushion Tile	9 in x 36 in (22.86 cm x 91.44 cm)
8DG230AA0T	8DJ230AA0T	NexStep® Cushion Tile	18 in x 36 in (45.72 cm x 91.44 cm)
8DG230220T	8DJ230220T	NexStep® Cushion Tile	24 in x 24 in (60.96 cm x 60.96 cm)
8DG2309A0K	8DJ2309A0K	AFIRMA II™ Hardback Tile	9 in x 36 in (22.86 cm x 91.44 cm)
8DG230AA0K	8DJ230AA0K	AFIRMA II™ Hardback Tile	18 in x 36 in (45.72 cm x 91.44 cm)
8DG230220K	8DJ230220K	AFIRMA II™ Hardback Tile	24 in x 24 in (60.96 cm x 60.96 cm)
8DG2309A0X	8DJ2309A0X	AFFIXX™ Hardback Tile	9 in x 36 in (22.86 cm x 91.44 cm)
8DG230AA0X	8DJ230AA0X	AFFIXX™ Hardback Tile	18 in x 36 in (45.72 cm x 91.44 cm)
8DG230220X	8DJ230220X	AFFIXX™ Hardback Tile	24 in x 24 in (60.96 cm x 60.96 cm)

CE Mark excludes AFFIXX™ Hardback Tile.



RECOMMENDED CARPET TILE INSTALLATION METHODS



Bentley's High PerformancePC, NexStep® Cushion Tile, and AFFIXX™ Hardback Tile products are Cradle to Cradle Certified™ Silver. Bentley products are also certified under the NSF/ANSI Standard 140 – Sustainable Carpet Assessment (NSF 140). Six of Bentley's standard backing products are NSF 140 certified at the Gold level or above. AFIRMA II™ Hardback Tile certifications are currently in process. Bentley's carpet products are manufactured in our California mill, a LEED for Existing Buildings: Operations and Maintenance (LEED®-EBOM) Gold certified facility. Please inquire about product warranties for specific backing options.

Patterned carpet may require special attention by the installer to assure a suitable match, and must be addressed in the original labor quotation. Products that go through the shearing process may result in a small loss of yarn weight. Slight variations in color among different production lots are normal and should be considered in the overall installation plan. Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Technical performance characteristics are subject to adjustment based on results of post-manufacture testing. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2019 Bentley Mills, Inc.

Need additional samples or information? 800.423.4709 | BENTLEYMILLS.COM
(BK-CP-0319)

BENTLEY®



800.423.4709 | BENTLEYMILLS.COM

14641 E. DON JULIAN ROAD, CITY OF INDUSTRY, CA 91746