

**BENTLEY®**

**MISFIT**






**Misfit**

Despite its name, Misfit is a valued member of The Sorted Collection. Functioning as the mid-scale option with the trio of patterns, Misfit provides sophisticated textural layering and thoughtful color application. Available in Broadloom and Carpet Tile, Misfit is a versatile solution for a variety of functions and formats.



**MISFIT™** 8FW24, EMBRACE 801780, 18 IN X 36 IN - MONOLITHIC



**MISFIT** 8FW24, COMPASSION 801785, 24 IN X 24 IN - MONOLITHIC





**MISFIT 8FW24, MINGLED 801786, 12 FT 6 IN - BROADLOOM**






**MISFIT** 8FW24, DISTINCT 801793, 18 IN X 36 IN - ASHLAR



MISFIT color line as featured in architect folder.



Embrace 801780




Original 801782




Enlightened 801783



Rebel 801784




Compassion 801785



Mingled 801786




Benevolent 801787




Authentic 801788




Faceted 801789



Inclusive 801790



Mindful 801791



Tolerant 801792



Distinct 801793

The printed images may not be an accurate reproduction of the product's actual colorways. We strive to offer an authentic representation, but images may vary according to press run and location lighting. These images are intended as a guide only. If you would like a sample of this product, please call Customer Care at 800.423.4709.

## THE SORTED COLLECTION

### SPECIFICATIONS

Style Number	MISFIT™
Product Construction	8FW24
Fiber	Tufted Textured Loop
Dye Method	Antron® Lumena DNA™ Nylon Type 6,6
Backing Options	Solution Dyed
Broadloom	High PerformancePC
Carpet Tile	AFFIX™ Hardback Tile
	AFIRMA II™ Hardback Tile
	NexStep® Cushion Tile
Size Options	
Broadloom	12 ft 6 in (3.810 m)
Carpet Tile	18 in x 36 in (45.72 cm x 91.44 cm)
	24 in x 24 in (60.96 cm x 60.96 cm)
Yarn Weight	24 oz/yd <sup>2</sup> (813.7 g/m <sup>2</sup> )
Machine Gauge	1/10 in (39.4 ends/10 cm)
Pile Height	
High	0.190 in (4.8 mm)
Medium	0.128 in (3.3 mm)
Low	0.082 in (2.1 mm)
Stitches	10.0/in (39.4 ends/10 cm)
Pile Density	8,287 oz/yd <sup>3</sup>
Total Weight	
High PerformancePC Broadloom	59 oz/yd <sup>2</sup> (2,000.4 g/m <sup>2</sup> )
AFFIX™ Hardback Tile	83 oz/yd <sup>2</sup> (2,814.2 g/m <sup>2</sup> )
AFIRMA II™ Hardback Tile	82 oz/yd <sup>2</sup> (2,780.3 g/m <sup>2</sup> )
NexStep® Cushion Tile	101 oz/yd <sup>2</sup> (3,424.5 g/m <sup>2</sup> )
Total Thickness	
High PerformancePC Broadloom	0.290 in (7.4 mm)
AFFIX™ Hardback Tile	0.275 in (7.0 mm)
AFIRMA II™ Hardback Tile	0.270 in (6.9 mm)
NexStep® Cushion Tile	0.390 in (9.9 mm)
Pattern Repeat	
Broadloom	Pattern Match Not Required
Carpet Tile	None
Radiant Panel	Passes Class 1, ≥ 0.45 W/cm <sup>2</sup> (ASTM-E648)
Smoke Density	< 450 Dm corr (ASTM-E662), Flaming
Static	≤ 3.5 kV (AATCC-134), Step
Flammability	Passes Methenamine Pill Test (CPSC-FF1-70)




[COVER PHOTO]  
MISFIT 8FW24, DISTINCT 801793, 18 IN X 36 IN - ASHLAR

CE Mark excludes AFFIX™ Hardback Tile.




### RECOMMENDED CARPET TILE INSTALLATION METHODS

#### 18 in x 36 in



#### 24 in x 24 in




Bentley's carpet products are manufactured in our California mill, a LEED Existing Buildings: Operations and Maintenance Gold certified facility. Certificates for carpet products, including Cradle to Cradle™, NSF/ANSI Standard 140 - Sustainable Carpet Assessment (NSF 140), and CRI Green Label Plus are available in *Certifications* under the Sustainability section of our website. Information regarding our Environmental Product Declarations, Health Product Declarations, and Declare Labels can be found in *Transparency* under the Sustainability section of our website. For more information, including product warranties, please visit [www.bentleymills.com](http://www.bentleymills.com).

Patterned carpet may require special attention by the installer to assure a suitable match, and must be addressed in the original labor quotation. Repositioning of carpet tiles may be necessary to ensure light or dark lines do not align at the seams. Products that go through the shearing process may result in a small loss of yarn weight. Slight variations in color among different production lots are normal and should be considered in the overall installation plan. Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2019 Bentley Mills, Inc.

Need additional samples or information? 800.423.4709 | BENTLEYMILLS.COM  
(BK-CP-1019)

**BENTLEY®**



S<sub>1</sub> T<sub>1</sub> A<sub>1</sub> Y<sub>4</sub>

Y<sub>4</sub> O<sub>1</sub> U<sub>1</sub>

800.423.4709 | BENTLEYMILLS.COM

14641 E. DON JULIAN ROAD, CITY OF INDUSTRY, CA 91746